

Publications of Rinku Mukherjee

(For details please see: <https://home.iitm.ac.in/rinku/publications.html>)

SCOPUS ID: 55535113700 ORCID ID: orcid.org/0000-0003-0491-3918 Researcher ID: M-2111-2013

References

- [1] Egambaravel, J., Vashist, T., and Mukherjee, R., “Study of Rayleigh–Bénard Convection in Jet-A fuel with non-Oberbeck–Boussinesq effect,” *International Journal of Thermal Sciences*, Vol. 185, 2023, p. 108021. <https://doi.org/https://doi.org/10.1016/j.ijthermalsci.2022.108021>, URL <https://www.sciencedirect.com/science/article/pii/S129007292200549X>.
- [2] Shirsath, R. A., and Mukherjee, R., “Experimental and computational investigations of aerodynamic characteristics of a finite rectangular wing-in-ground effect,” *Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering*, 2022, p. 09544100221114700. <https://doi.org/10.1177/09544100221114700>, URL <https://doi.org/10.1177/09544100221114700>.
- [3] Roy, A., and Mukherjee, R., “Delay or control of flow separation for enhanced aerodynamic performance using an effective morphed surface,” *Acta Mechanica*, 2022.
- [4] A, R., and R, M., “Experimental Study on the Behaviour of Local Laminar Separation Bubble at a Rectangular Wing Section,” *Fluid Dynamics*, Vol. 56, No. Suppl 1, 2021, pp. S1–S18. <https://doi.org/10.1134/S0015462821060136>.
- [5] Gireesh, Y., Singh, D. B., Suryanarayana, G. K., and Mukherjee, R., “Effect of Aerospikes on Unsteady Transonic Flow over a Blunt Body,” *Journal of Spacecraft and Rockets*, Vol. 58, No. 6, 2021, pp. 1806–1818. <https://doi.org/10.2514/1.A34928>, URL <https://doi.org/10.2514/1.A34928>.
- [6] Roy, A., and Mukherjee, R., “Three dimensional rectangular wing morphed to prevent stall and operate at design local two dimensional lift coefficient,” *Aerospace Science and Technology*, Vol. 107, 2020, p. 106312. <https://doi.org/https://doi.org/10.1016/j.ast.2020.106312>, URL <https://www.sciencedirect.com/science/article/pii/S1270963820309949>.
- [7] Gunasekaran, M., and Mukherjee, R., “Aerodynamic analysis of wings in Chevron and V formation flights,” *European Journal of Mechanics - B/Fluids*, Vol. 84, 2020, pp. 193–206. <https://doi.org/https://doi.org/10.1016/j.euromechflu.2020.06.007>, URL <https://www.sciencedirect.com/science/article/pii/S0997754619302341>.
- [8] Yanamashetti, G., Singh, D. B., Suryanarayana, G. K., and Mukherjee, R., “Passive Control of Transonic Flow over a Blunt Body Using Aerospikes,” *Journal of Spacecraft and Rockets*, Vol. 57, No. 5, 2020, pp. 945–955. <https://doi.org/10.2514/1.A34668>, URL <https://doi.org/10.2514/1.A34668>.
- [9] Roy, A., Kumar, R. V., and Mukherjee, R., “Experimental validation of numerical decambering approach for flow past a rectangular wing,” *Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering*, Vol. 234, No. 9, 2020, pp. 1564–1582. <https://doi.org/10.1177/0954410020916311>, URL <https://doi.org/10.1177/0954410020916311>.
- [10] Gunasekaran, M., and Mukherjee, R., “Aerodynamic analysis of basic and extended lead-trail formation using numerical technique,” *European Journal of Mechanics - B/Fluids*, Vol. 79, 2020, pp. 480–491. <https://doi.org/https://doi.org/10.1016/j.euromechflu.2019.11.001>, URL <https://www.sciencedirect.com/science/article/pii/S099775461930113X>.
- [11] Roy, A., and Mukherjee, R., “Unsteady 3D Post-Stall Aerodynamics Accounting for Effective Loss in Camber Due to Flow Separation,” *International Journal of Mechanical, Industrial and Aerospace Sciences*, Vol. 11.0, No. 6, 2018. <https://doi.org/10.5281/zenodo.1317078>, URL <https://doi.org/10.5281/zenodo.1317078>.
- [12] Samuel, B. A., and Mukherjee, R., “A study of the unsteady aerodynamics of a wing at high angles of attack using decambering to model separated flow,” *Sādhanā*, Vol. 43, No. 8, 2018, p. 121. <https://doi.org/10.1007/s12046-018-0894-y>, URL <https://doi.org/10.1007/s12046-018-0894-y>.
- [13] Gunasekaran, M., and Mukherjee, R., “Behaviour of trailing wing(s) in echelon formation due to wing twist and aspect ratio,” *Aerospace Science and Technology*, Vol. 63, 2017, pp. 294–303. <https://doi.org/https://doi.org/10.1016/j.ast.2017.01.009>, URL <https://www.sciencedirect.com/science/article/pii/S127096381630356X>.
- [14] Yanamashetti, G., Suryanarayana, G. K., and Mukherjee, R., “Development of Flow over Blunt-Nosed Slender Bodies at Transonic Mach Numbers,” *Journal of Physics: Conference Series*, Vol. 822, 2017, p. 012071. <https://doi.org/10.1088/1742-6596/822/1/012071>, URL <https://doi.org/10.1088/1742-6596/822/1/012071>.
- [15] Antony, S. B., and Mukherjee, R., “High-Alfa Aerodynamics with Separated Flow Modeled as a Single Nascent Vortex,” *Journal of Physics: Conference Series*, Vol. 822, 2017, p. 012005. <https://doi.org/10.1088/1742-6596/822/1/012005>, URL <https://doi.org/10.1088/1742-6596/822/1/012005>.

- [16] Aziz, H., and Mukherjee, R., "Vortex Interaction and Roll-Up in Unsteady Flow past Tandem Airfoils," *Journal of Applied Fluid Mechanics*, Vol. 9, No. 6, 2016, pp. 3087–3100. <https://doi.org/10.29252/jafm.09.06.24439>, URL <https://www.jafmonline.net/article-1871.html>.
- [17] Kumar, G. V., and Mukherjee, R., "A Numerical Unsteady Analysis of a Plunging Wing," *Journal of Aerospace Sciences and Technologies*, Vol. 68, No. 3, 2016.
- [18] Gunasekaran, M., and Mukherjee, R., "Numerical Analysis Of an Echelon Formation Exhibiting Post-Stall Behavior," *Journal of Basic and Applied Research International*, Vol. 11, No. 4, 2015, pp. 217–240.
- [19] Aziz, H., and Mukherjee, R., "Unsteady Aerodynamics of Multiple Airfoils in Configuration," *International Journal of Aerospace and Mechanical Engineering*, Vol. 4, No. 10, 2010, pp. 930 – 941. URL <https://publications.waset.org/vol/46>.
- [20] Aziz, H., and Mukherjee, R., "Unsteady Aerodynamics of Multiple Airfoils in Configuration," , Oct. 2010. <https://doi.org/10.5281/zenodo.1073156>, URL <https://doi.org/10.5281/zenodo.1073156>.
- [21] Mukherjee, R., and Gopalarathnam, A., "Poststall prediction of multiple-lifting-surface configurations using a decambering approach," *Journal of Aircraft*, Vol. 43, No. 3, 2006, pp. 660–668.

AIAA Meet Papers

- [1] Bhowmick, S., Mukherjee, R., and Chakravarthy, V. K., *Aerodynamic Investigation of a Novel Diamond-Back Morphing Wing Configuration*, chapter and pages. <https://doi.org/https://doi.org/10.2514/6.2023-2456>, URL <https://doi.org/10.2514/6.2023-2456>.vid.
- [2] Shirsath, R. A., and Mukherjee, R., *Experimental Investigations of the Aerodynamic Characteristics of a Finite Rectangular Wing in Ground Effect*, chapter and pages. <https://doi.org/10.2514/6.2022-1978>, URL <https://doi.org/10.2514/6.2022-1978>.vid.
- [3] Roy, A., and Mukherjee, R., *Control of Laminar Boundary-Layer Separation on a Rectangular Wing using Decambering Approach*, chapter and pages. <https://doi.org/10.2514/6.2022-0711>, URL <https://doi.org/10.2514/6.2022-0711>.vid.
- [4] Kumar, V., and Mukherjee, R., *Study of Separation of Three-Dimensional Boundary Layer using Critical Point Theory*, chapter and pages. <https://doi.org/10.2514/6.2021-1995>, URL <https://arc.aiaa.org/doi/abs/10.2514/6.2021-1995>.
- [5] Roy, A., and Mukherjee, R., *Time Series Behaviour of Laminar Separation Bubbles at Low Reynolds Number*, chapter and pages. <https://doi.org/10.2514/6.2021-1197>, URL <https://arc.aiaa.org/doi/abs/10.2514/6.2021-1197>.
- [6] Roy, A., and Mukherjee, R., *Numerical Morphing of a Rectangular Wing to Prevent Flow Separation*, chapter and pages. <https://doi.org/10.2514/6.2020-1765>, URL <https://arc.aiaa.org/doi/abs/10.2514/6.2020-1765>.
- [7] Samuel, A. B., and Mukherjee, R., *Prediction of Post-Stall Aerodynamic Characteristics of wing(s) with separated flow modeled as a Single Nascent Vortex*, chapter and pages. <https://doi.org/10.2514/6.2016-0306>, URL <https://arc.aiaa.org/doi/abs/10.2514/6.2016-0306>.
- [8] Gunasekaran, M., and Mukherjee, R., *Reduction of Induced Drag in Con guration Flight using Wing Twist at Post-Stall Angles of Attack*, chapter and pages. <https://doi.org/10.2514/6.2016-1779>, URL <https://arc.aiaa.org/doi/abs/10.2514/6.2016-1779>.
- [9] Jeyapandian, E., and Mukherjee, R., *Linear Stability Analysis of Laminar Separation Bubble over NACA0012 airfoil at Low Reynolds Numbers*, chapter and pages. <https://doi.org/10.2514/6.2014-0253>, URL <https://arc.aiaa.org/doi/abs/10.2514/6.2014-0253>.
- [10] Kumar, V., and Mukherjee, R., *A Numerical Study of the Unsteady Motion of a Wing using N-Body Approximation*, chapter and pages. <https://doi.org/10.2514/6.2014-1108>, URL <https://arc.aiaa.org/doi/abs/10.2514/6.2014-1108>.
- [11] Gunasekaran, M., and Mukherjee, R., *A Numerical Study of the Aerodynamics of Cessna 172 Aircrafts in Echelon formation*, chapter and pages. <https://doi.org/10.2514/6.2014-1107>, URL <https://arc.aiaa.org/doi/abs/10.2514/6.2014-1107>.
- [12] Shirsath, R., Aziz, H., and Mukherjee, R., *A Numerical Study of Tandem Pitching Airfoils*, chapter and pages. <https://doi.org/10.2514/6.2013-793>, URL <https://arc.aiaa.org/doi/abs/10.2514/6.2013-793>.
- [13] Aziz, H., and Mukherjee, R., *Unsteady Aerodynamics of Multiple Airfoils in Configuration*, chapter and pages. <https://doi.org/10.2514/6.2011-3523>, URL <https://arc.aiaa.org/doi/abs/10.2514/6.2011-3523>.
- [14] Mukherjee, R., and Gopalarathnam, A., *Post-Stall Prediction of Multiple-Lifting-Surface Configurations Using a Decambering Approach*, chapter and pages. <https://doi.org/10.2514/6.2004-219>, URL <https://arc.aiaa.org/doi/abs/10.2514/6.2004-219>.
- [15] Mukherjee, R., Gopalarathnam, A., and Kim, S., *An Iterative Decambering Approach for Post-Stall Prediction of Wing Characteristics from Known Section Data*, chapter and pages. <https://doi.org/10.2514/6.2003-1097>, URL <https://arc.aiaa.org/doi/abs/10.2514/6.2003-1097>.

APS DFD Presentation

- [1] Dalela, V., and Mukherjee, R., "An Experimental Investigation of Flow past a Wing at high Angles of Attack," Vol. 62, No. 14, 2017. URL <http://meetings.aps.org/link/BAPS.2017.DFD.A17.7>.

Asian Congress of Fluid Mechanics (ACFM) Meet Papers

- [1] Vasanth Kumar, G., and Mukherjee, R., "Investigation of Flow Separation Lines Over a Finite Wing," *Proceedings of 16th Asian Congress of Fluid Mechanics*, edited by L. Venkatakrishnan, S. Majumdar, G. Subramanian, G. S. Bhat, R. Dasgupta, and J. Arakeri, Springer Singapore, Singapore, 2021, pp. 247–255.
- [2] Gireesh Yanamashetti, G. K. S., and Mukherjee, R., "Development of Flow Over Blunt-Nosed Slender Bodies at Transonic Mach Numbers," *Proceedings of 15th Asian Congress of Fluid Mechanics, Kuching, Malaysia*, 2016.
- [3] Samuel, A. B., and Mukherjee, R., "High-Alfa Aerodynamics with Separated Flow Modeled as a Single Nascent Vortex," *Proceedings of 15th Asian Congress of Fluid Mechanics, Kuching, Malaysia*, 2016.
- [4] Aziz, H., and Mukherjee, R., "Unsteady aerodynamics of suddenly accelerated multiple airfoils," *Proceedings of 13th Asian Congress of Fluid Mechanics, Dhaka Bangladesh*, 2010.

Conferences

- [1] Shirsath, R. A., and Mukherjee, R., "Computational Investigations of Aerodynamic Properties for Flow Past NACA 0012 3D Wing in Ground Proximity," *Fluid Mechanics and Fluid Power, IIT Guwahati, India*, 2020.
- [2] Aritras Roy, R. M., "Unsteady 3D Post-Stall Aerodynamics Accounting for Effective Loss in Camber Due to Flow Separation," *20th International Conference on Aerospace Engineering, Classification of Flying Vehicles and Flight Software, NYC, USA*, 2018.
- [3] Roy, A., and Mukherjee, R., "Experimental Study of Leading Edge Laminar Separation Bubble for Flow past a Rectangular Wing," *FMFP, IIT Bombay*, 2018.
- [4] Gireesh Yanamashetti, G. K. S., and Mukherjee, R., "Control of Pressure Field Around Nose Region of a Launch Vehicle Using an Aerodisk and an Aerospike at Transonic Mach numbers," *FMFP, IIT Bombay*, 2018.
- [5] Shirsath, R. A., and Mukherjee, R., "Effect of Ground Proximity on the Aerodynamic Characteristics of NACA 0012 Airfoil Using Computational Fluid Dynamics," *FMFP, IIT Bombay*, 2018.
- [6] Vipul Dalela, A. R., and Mukherjee, R., "An Experimental Validation of Numerical Post-Stall Aerodynamic Characteristics of a Wing," *ICTACEM, Dec, IIT Kharagpur*, 2017.
- [7] Gunasekaran, M., and Mukherjee, R., "Numerical Analysis of the Post-Stall Aerodynamics of Chevron formation," *INCAM (Indian Conference on Applied Mechanics)*, 2015.
- [8] Rinku Mukherjee, H. A., and Shirsath, R. A., "Unsteady Aerodynamics of Tandem Pitching Airfoils," *Proc. of 14th. Annual CFD Symposium, Bangalore*, 2012.
- [9] J., E., and Mukherjee, R., "Transition Prediction in Laminar Separation Bubble over NACA0012 airfoil," *Proc. of 14th. Annual CFD Symposium, Bangalore*, 2012.
- [10] Shirsath, R. A., and Mukherjee, R., "Unsteady aerodynamics of tandem airfoils pitching in phase," *Proc. of 2nd. Intl. Conference on Mechanical, Production and Automobile Engg., Singapore*, 2012.
- [11] Shirsath, R. A., and Mukherjee, R., "Unsteady aerodynamics of multiple airfoils in formation," *20th Annual Conference of the CFD Society of Canada, Canada*, 2012.
- [12] Aziz, H., and Mukherjee, R., "Unsteady aerodynamics of multiple airfoils in configuration," *Proc. of Intl. Conference on Mechanical and Aerospace Engg., WASET, Vol. 71, pp 94-105, Paris, France*, 2010.
- [13] Aziz, H., and Mukherjee, R., "Unsteady Aerodynamics of multiple airfoils suddenly set into motion with different velocities," *Proc. of 4th Intl. Conference on Fluid Mechanics and Fluid Power, ISBN: 978-81-910 571-1-9, IIT Madras, India*, 2010.
- [14] Aziz, H., and Mukherjee, R., "Unsteady Aerodynamics of multiple airfoils suddenly set into motion with different chord lengths," *Proc. of 5th Intl. Conference on Theoretical, Applied, Computational & Experimental Mechanics, ISBN: 978-93-80813-03-5, IITKGP, India*, 2010.
- [15] J, E., and Mukherjee, R., "Non-unique solutions in prediction of post-stall aerodynamics," *3rd International Congress on Computational Mechanics and Simulation (ICCMS09), IIT Bombay*, 2009.

- [16] Egambaravel, J., and Mukherjee, R., "Hysteresis effects on Medium Aspect Ratio Wings in Post- Stall regime," *3rd International Congress on Computational Mechanics and Simulation (ICCMS09), IIT Bombay*, 2009.
- [17] Aziz, H., and Mukherjee, R., "Aerodynamic characteristics of a wing-tail and wing-canard configuration," *3rd International Congress on Computational Mechanics and Simulation (ICCMS09), IIT Bombay*, 2009.
- [18] Aziz, H., and Mukherjee, R., "Aerodynamics of a Cessna 172 aircraft flying in echelon formation," *International Conference on Recent and Emerging Advanced Technologies in Engineering(iCREATE09), Sepang, Malaysia*, 2009.

Books

- [1] Mukherjee, R., *Gas Dynamics*, In Progress.
- [2] Mukherjee, R., *Decambering: A numerical tool to predict post-stall aerodynamic data*, Lambert Academic Publishing, 2009.